




UNITED STATES PATENT AND TRADEMARK OFFICE



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. Box 1450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

Paper No.

Notice of Non-Compliant Amendment (37 CFR 1.121)

The amendment document filed on 12-8-03 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121, as amended on June 30, 2003 (see 68 Fed. Reg. 38611, Jun. 30, 2003). In order for the amendment document to be compliant, correction of the following item(s) is required. **Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted.** 37 CFR 1.121(h).

THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
 - ☐ B. New paragraph(s) should not be underlined.
 - ☐ C. Other _____
- ☐ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
 - ☐ B. Other _____
- ☐ 3. Amendments to the drawings: _____
- ☒ 4. Amendments to the claims:
- ☒ A. A complete listing of all of the claims is not present.
 - ☐ B. The listing of claims does not include the text of all claims (including withdrawn claims)
 - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified.
 - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
 - ☐ E. Other: _____

RECEIVED
JAN 14 2004
TECHNOLOGY CENTER R3700

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at <http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflyer.pdf>.

If the non-compliant amendment is a **PRELIMINARY AMENDMENT**, applicant is given ONE MONTH from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this **ONE MONTH** time limit is not extendable.


If the non-compliant amendment is a reply to a **NON-FINAL OFFICE ACTION** (including a submission for an RCE), and since the amendment appears to be a *bona fide* attempt to be a reply (37 CFR 1.135(c)), applicant is given a **TIME PERIOD** of ONE MONTH from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).**

If the amendment is a reply to a **FINAL REJECTION**, this form may be an attachment to an Advisory Action. The period for response to a final rejection continues to run from the date set in the final rejection, and is not affected by the non-compliant status of the amendment.

Legal Instruments Examiner (LIE)

Telephone No.

09/637,529


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Robert C. Beck	Examiner:	Matthew F. DeSanto
Serial No.:	09/637,529	Group Art Unit:	3763
Filing Date:	August 11, 2000	Docket No.:	2008
Title	Catheter		

Date of Deposit: 1/7/04

I hereby certify that this paper is being deposited in the United States Postal Service, as first class mail, in an envelope addressed to: Assistant Commissioner for Patents, Alexandria, VA 22313

Signature: 

Printed Name: Robert C. Beck

RESPONSE

Commissioner for Patents
Alexandria, VA 22313

This is responsive to the outstanding Office Action mailed June 5, 2003.
Reconsideration and allowance of this application is respectfully solicited in view of the following amendments and remarks. Please also note that our docket number is 2008 and not 1480.

RECEIVED
JAN 14 2004
TECHNOLOGY CENTER R3700

AMENDMENTS

The Examiner, in his rejection, has pointed out that a catheter device with a sheath that has an occlusion balloon can be operated with the occlusion balloon deployed or not deployed. Applicant agrees and recognizes that the claims canceled herein are ambiguous for that reason. Applicant will pursue these inventions in claims presented later that describe the invention in "method" terms to clarify the invention.

For these reasons applicant cancels certain claims and revises claims to focus on the "control body" feature introduced in claim 19. Applicant hopes that the amendments and arguments will narrow the issues substantially and simplify issues to speed the disposition of this case.